



5300 Cureton Ferry Road Post Office Box 7 Catawba, SC 29704-0007

FED EX NO. 7735 5352 8936

October 25, 2018

Ms. Connie Turner, Manager Air Toxics Section SCDHEC Bureau of Air Quality 2600 Bull Street Columbia SC 29201-1708

Re: MACT II Excess Emissions and Monitoring System Performance Reports

Air Permit No. TV-2440-0005

Dear Ms. Turner:

The purpose of this submittal is to meet the quarterly excess emission reporting requirements applicable to the Resolute Forest Products – Catawba Mill associated with the National Emission Standards for Hazardous Air Pollutants from the Pulp and Paper Industry (40 CFR 63, Subpart MM). The sources covered under Subpart MM are the No. 2 Recovery Boiler, No. 3 Recovery Boiler, No. 2 and No. 3 Smelt Dissolving Tank Vent, and the No. 2 Lime Kiln. This submittal meets the requirements of the Excess Emissions and Continuous Monitoring System (CMS) Performance Report pursuant to Sections 63.867(c) and 63.10(c), respectively.

Excess emissions and CMS downtime for the reporting period were less than 1% and 5% respectively for all systems. Therefore, only the summary reports are attached as allowed in §63.10(e)(3)(vii).

Based on information and belief formed after reasonable inquiry, I certify to the best of my knowledge, that the statements and information in this submission are true, accurate, and complete.

If you have any questions or require additional information, please contact Mike Swanson, environmental engineer at (803) 981-8010 or mike.swanson@resolutefp.com.

Sincerely,

David Clemmons
Interim General Manager – Catawba Operations

Enclosures: MACT II Logs

cc: SCDHEC – BAQ, Technical Management Section

Alex Latta, Midlands EA Lancaster

EPA Region 4

Environmental File 232.15

GASEOUS AND OPACITY EXCESS EMISSION AND CONTINUOUS MONITORING SYSTEM PERFORMANCE

Pollutant:	Opacity
Time Period:	Minutes
Reporting Period:	July 1, 2018 through September 30, 2018
Process Unit Description:	No. 2 Recovery Boiler
Company:	Resolute Forest Products – Catawba Mill
Emission Limits:	35%
Monitor Manufacturer(s) and Model Number(s):	Teledyne Monitor Labs / Light Hawk 560 Opacity
	Monitor
Last CMS Certification or Audit Date:	Certification: 10/20/2006
	Audit: 9/13/2018
Total Source Operating Time in Reporting Period:	129,899 minutes

EMISSION DATA SUMMARY

Reason for Excess Emissions	Duration (minutes)	
	Over 35%	Over 20% for 60 minutes
A. Startup/Shutdown	6	84
B. Malfunctions		
Process/Instrument System	0	0
Control Equipment	42	342
Fuel Problems	0	0
Other Known Cause	0	0
Other Unknown Cause	0	0
Total Number of Incidents	5	6
Excess Emissions/Process Operating Time	0.04 %	0.33%

CMS PERFORMANCE SUMMARY

Reason for Monitor Downtime	Duration (minutes)	
Monitor Equipment Malfunctions	30	
Non-Monitor Equipment Malfunctions	0	
Quality Assurance	95	
Other Known Cause	0	
Other Unknown Cause	0	
Total Number of Incidents	3	
Percent Monitor Downtime	0.10 %	

There were no changes in the continuous monitoring systems, processes, or control devices since the last reporting period.

Name/ litle:	David Clemmons	Interim General Manage
Signature:		
· ·		

GASEOUS AND OPACITY EXCESS EMISSION AND CONTINUOUS MONITORING SYSTEM PERFORMANCE

Pollutant:	Opacity	
Time Period:	Minutes	
Reporting Period:	July 1, 2018 through September 30, 2018	
Process Unit Description:	No. 3 Recovery Boiler	
Company:	Resolute Forest Products – Catawba Mill	
Emission Limits:	35%	
Monitor Manufacturer(s) and Model Number(s):	Teledyne Monitor Labs / Light Hawk 560 Opacity	
	Monitor	
Last CMS Certification or Audit Date:	Certification: 7/31/2010	
	Audit: 9/13/2018	
Total Source Operating Time in Reporting Period:	132,433 Minutes	

EMISSION DATA SUMMARY

Reason for Excess Emissions	Duration (minutes)	
	Over 35%	Over 20% for 60 minutes
A. Startup/Shutdown	0	0
B. Malfunctions		
Process/Instrument System	0	0
Control Equipment	18	228
Fuel Problems	0	0
Other Known Cause	0	0
Other Unknown Cause	0	0
Total Number of Incidents	2	2
Excess Emissions/Process Operating Time	0.01%	0.17%

CMS PERFORMANCE SUMMARY

Reason for Monitor Downtime	Duration (minutes)
Monitor Equipment Malfunctions	0
Non-Monitor Equipment Malfunctions	0
Quality Assurance	75
Other Known Cause	0
Other Unknown Cause	0
Total Number of Incidents	1
Percent Monitor Downtime	0.06 %

There were no changes in the continuous monitoring systems, processes, or control devices since the last reporting period.

Name/Title:	David Clemmons	Interim General Manager
Signature:		

GASEOUS AND OPACITY EXCESS EMISSION AND CONTINUOUS MONITORING SYSTEM PERFORMANCE

Pollutant:	Opacity	
Time Period:	Minutes	
Reporting Period:	July 1, 2018 through September 30, 2018	
Process Unit Description:	No. 2 Lime Kiln	
Company:	Resolute Forest Products – Catawba Mill	
Emission Limits:	20%	
Monitor Manufacturer(s) and Model Number(s):	Monitor Labs USI 550 Opacity Monitor	
Last CMS Certification or Audit Date:	Certification: 10/27/2012	
	Audit: 4/30/2018	
Total Source Operating Time in Reporting Period:	130,830 Minutes	

EMISSION DATA SUMMARY

Reason for Excess Emissions	Duration (minutes)	
	Over 20%	Over 20% for 60 minutes
A. Startup/Shutdown	0	0
B. Malfunctions		
Process/Instrument System	0	0
Control Equipment	0	0
Fuel Problems	0	0
Other Known Cause	54	0
Other Unknown Cause	12	0
Total Number of Incidents	9	0
Excess Emissions/Process Operating Time	0.05 %	NA

CMS PERFORMANCE SUMMARY

Reason for Monitor Downtime	Duration (minutes)
Monitor Equipment Malfunctions	180
Non-Monitor Equipment Malfunctions	0
Quality Assurance	0
Other Known Cause	0
Other Unknown Cause	0
Total Number of Incidents	1
Percent Monitor Downtime	0.14 %

There were no changes in the continuous monitoring systems, processes, or control devices since the last reporting period.

Name/Title:	David Holt	Paper Operations Manager
Signature:		

GASEOUS AND OPACITY EXCESS EMISSION AND CONTINUOUS MONITORING SYSTEM PERFORMANCE

Pollutant:	Particulate Matter	
Time Period:	Hours	
Reporting Period:	July 1, 2018 through September 30, 2018	
Process Unit Description:	No. 2 and No. 3 Smelt Dissolving Tank Vent	
Company:	Resolute Forest Products – Catawba Mill	
Emission Limits:	0.2 lbs/ton BLS	
Operating Parameters:	Differential Pressure > 1.5 inches of water column	
	Liquid Flow Rate > 65 gpm	
Monitor Manufacturer(s) and Model	DP – Rosemount 3051CD2A02A1AM5E55	
Number(s):	Liquid Flow Rate – Foxboro IMT25PDADB10N-AB	
Last CMS Certification or Audit Date:	Certification: 8/3/2004 (both)	
	Audits: 6/22/17 (DP), 12/13/17 (Flow)	
Total Source Operating Time in Reporting	2,186 hours	
Period:		

EMISSION DATA SUMMARY

Reason for Excess Emissions	Duration (hrs)
A. Startup/Shutdown	0
B. Malfunctions	
Process System	0
Control Equipment	0
Other Known Cause	0
Other Unknown Cause	0
Total Number of Incidents	0
Excess Emissions / Process Operating Time	0.00%

CMS PERFORMANCE SUMMARY

Reason for Monitor Downtime	Duration (hrs)
Monitor Equipment Malfunctions	0
Non-Monitor Equipment Malfunctions	0
Quality Assurance	0
Other Known Cause	0
Other Unknown Cause	0
Total Number of Incidents	0
Percent Monitor Downtime	0.00%

There were no changes in the continuous monitoring systems, processes, or control devices since the last reporting period.

Name/Title:	David Clemmons	Interim General Manage
Signature:		